WHAT IS CLAIMED AS NEW AND DESIRED TO BE SECURED BY LETTER OF PATENT OF THE UNITED STATES OF AMERICA IS:

- 1. A process for the preparation of alkylene glycols comprising reacting an alkylene oxide with water in the presence of a catalyst of the formula MA_x wherein M is a Group IIIB, rare earth metal, actinide or Group IVB cation, A is a non-coordinating or weakly coordinating anion and x is the valence of L.
- 2. The process of Claim 1 which additionally comprises reacting an alkylene oxide and with water in the presence of carbon dioxide.
- 3. The process of Claim 1 wherein the alkylene oxides are of the formula R^1R^2 (COC) R^3R^4 , where each R^1 , R^2 , R^3 and R^4 is independently hydrogen or an alkyl of from 1 to 10 carbon atoms and the alkylene glycol is of the formula R^1R^2 (COHCOH) R^3R^4 .
- 4. The process of Claim 2 wherein the alkylene oxides are ethylene oxide, propylene oxide or butylene oxide.
- 5. The process of Claim 1 wherein the alkylene oxide is ethylene oxide and the alkylene glycol is ethylene glycol.
- 6. The process of Claim 1 wherein M is selected from the group consisting of scandium, yttrium, lanthanum, europium, ytterbium, and hafnium.
- 7. The process of Claim 6 wherein M is scandium.
- 8. The process of Claim 1 wherein A is selected from the group consisting of a trifluoromethane sulfonate or triflate ($[CF_3SO_3]^-$),

SERIAL NO. VAN HAL, RAMPRASAD

hexafluorophosphate ([PF₆]⁻), [Al[OC(CF₃)₃]₄]⁻, tetrafluoroborate ([BF₄]⁻), perchlorate ([ClO₄]⁻), teflate ([TeOF₅]⁻), BArF ([B(ArH_xF_y)₄]⁻ where Ar is an aryl and x+y=5), tosylate ([CH₃C₆H₄SO₃]⁻), mesylate ([CH₃SO₃]⁻) and antimonyhexafluoride ([SbF₆]⁻).

- 9. The process of Claim 8 wherein A is a triflate.
- 10. The process of Claim 1 wherein the catalyst is scandium triflate $[Sc(CF_3SO_3)_3]$, europium triflate $[Eu(CF_3SO_3)_3]$, hafnium triflate $[Hf(CF_3SO_3)_4]$, yttrium triflate $[Y(CF_3SO_3)_3]$, lanthanum triflate $[La(CF_3SO_3)_3]$ or ytterbium triflate $[Yb(CF_3SO_3)_3]$.
- 11. The process of Claim 1 wherein the process is carried out at a temperature from about 20°C to 250°C.
- 12. The process of Claim 11 wherein the temperature is $50\,^{\circ}\text{C}$ to $200\,^{\circ}\text{C}$.
- 13. The process of Claim 1 wherein the process is carried out at a pressure greater than atmospheric.
- 14. The process of Claim 13 wherein the pressure is 25 psig to 1000 psig.
- 15. The process of Claim 1 wherein the molar ratio of alkylene oxide to water is in the range from about 5 to 25.
- 16. The process of Claim 1 wherein the catalyst is homogeneous.
- 17. The process of Claim 1 wherein the catalyst is heterogeneous.

- 18. The process of Claim 17 wherein the catalyst is heterogenized on ion exchange resins, by microencapsulation or by being bond to a metal oxide surface.
- 19. A process for the preparation of alkylene glycols comprising reacting an alkylene oxide with water in the presence of a catalyst of the formula $M'B_x$ wherein M' is a Group IIIB, rare earth metal, actinide or Group IVB cation, B is a coordinating anion and x is the valence of M'.
- 20. The process of Claim 19 wherein M' is selected from the group consisting of scandium, yttrium, lanthanum, europium, ytterbium, and hafnium.
- 21. The process of Claim 20 wherein M' is scandium.
- 22. The process of Claim 19 wherein B is selected from the group consisting of nitrate ($[NO_3]^-$), sulfate ($[SO_4]^{2-}$), chloride ($[Cl]^-$) and acetate ($[CH_3COO]^-$)
- 23. The process of Claim 22 wherein B is a nitrate.
- 24. The process of Claim 19 wherein the catalyst is scandium sulfate $[Sc_2(SO_4)_3]$, scandium chloride $[ScCl_3]$, scandium acetate $[Sc(OAc)_3]$ and scandium nitrate $[Sc(NO_3)_3]$.
- 25. A process for the preparation of alkylene glycols comprising reacting an alkylene oxide with water in the presence of a catalyst of the formula $M"A_xB_y$ wherein M" is a Group IIIB, rare earth metal, actinide or Group IVB cation, A is a non-coordinating

- or weakly coordinating anion, B is a coordinating anion and x+y equals the valence of M".
- 26. The process of Claim 1 wherein M" is selected from the group consisting of scandium, yttrium, lanthanum, europium, ytterbium, and hafnium.
- 27. The process of Claim 26 wherein M" is scandium.
- 28. The process of Claim 25 wherein A is selected from the group consisting of trifluoromethane sulfonate or triflate ([CF₃SO₃]⁻), hexafluorophosphate ([PF₆]⁻), [Al[OC(CF₃)₃]₄]⁻, tetrafluoroborate ([BF₄]⁻), perchlorate ([ClO₄]⁻), teflate ([TeOF₅]⁻), BArF ([B(ArH_xF_y)₄]⁻ where Ar is an aryl and x+y=5), tosylate ([CH₃C₆H₄SO₃]⁻), mesylate ([CH₃SO₃]⁻) and antimonyhexafluoride ([SbF₆]⁻).
- 29. The process of Claim 28 wherein A is a triflate.
- 30. The process of Claim 25 wherein B is selected from the group consisting of nitrate ($[NO_3]^-$), sulfate ($[SO_4]^{2-}$), chloride ($[Cl]^-$) and acetate ($[CH_3COO]^-$).
- 31. The process of Claim 30 wherein B is a nitrate.
- 32. The process of Claim 25 wherein the catalyst is scandium triflate sulfate $[Sc(CF_3SO_3)(SO_4)]$, scandium triflate chloride $[Sc(CF_3SO_3)_2Cl]$, scandium triflate acetate $[Sc(CF_3SO_3)_2(OAc)_3]$ and scandium triflate nitrate $[Sc(CF_3SO_3)_2(NO_3)]$.